

Risk a Wristlet

Milinda Jay Stephenson


Assemble your supplies



One 9" nylon zipper

Step 1:

- Hoop tear away stabilizer, sew color 1, the outline stitch



Step 2:

- Place canvas lining atop outline stitch. Stitch color 2, sew down for lining



Step 3:

- Sew color 3, outline for plastic card holder.
- Place plastic atop outline
- Sew color 4, the sew-down stitch for plastic card holder



Step 4:

- Remove from hoop, remove tear-away stabilizer


Step 5:

- Hoop new tear-away stabilizer. Sew color 5, outline for wristlet front
- Unzip halfway and tape sides




Step 6:

Sew color 6, sew-down for zipper. Be certain to stop before zipper stop to avoid catching your presser foot. The goal is to keep the zipper stop away from the presser foot.



Step 7:


- Remove hoop and place top and bottom front alongside zipper.
- Tape top and bottom.
- Sew color 7 stopping to move zipper stop out of the way of the presser foot.





Step 8:

- To attach wristlet handle, sew color 8, wristlet place marker.
- Tape wristlet handle over place holder.
- Sew color 9, wristlet sew-down



Step 9

- Place back fabric face down atop front
- Place liner face up on top of back fabric.
- Sew color 10, sew down line for wristlet.

Step 10:

- Remove tear-away stabilizer, trim, and turn right side out through zipper opening.
- Complete!!